


Profile PDS-4-PLUS

Ref. C1263



- Possibility of installing sealed 8K series LED strips
- Wide range of accessories
- Small bending radius
- Continuous lighting angle adjustment

APPLICATION

- main, functional, furniture and decorative lighting


MONTAGE

- to the surface, suspended or recessed, using dedicated accessories, properly selected screws, with double-sided adhesive tape or mounting adhesive
 - easy assembly and disassembly by snapping in and out

ADDITIONAL INFORMATION

- cover length equal to the profile length only with the use of a dedicated PDS-4-PLUS end cap

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS







Material	aluminum	Color	Length	Ref
With the possibility of sealing up to IP	67, 20		1000 mm	C1263ANODA_1
Possible shapes of the luminaire	rectangular	■ silver anodized	2005 mm	C1263ANODA_2
Lighting angle adjustment up to	360		3010 mm	C1263ANODA_3
LED gluing width A	14 mm		1000 mm	C1263K7_1
Possibility of bending	yes	■ black anodized	2005 mm	C1263K7_2
Minimum external radius	200 mm		3010 mm	C1263K7_3
Minimum internal radius	180 mm		1000 mm	C1263L9010OD_1
Number of LED strips A (8 mm wide)	1		2005 mm	C1263L9010OD_2
Width	16 mm	□ white lacquered	3010 mm	C1263L9010OD_3
The cover is cut to the length of the profile	yes		1000 mm	C1263L9005OD_1
Furniture lighting	yes		2005 mm	C1263L9005OD_2
Main lighting	yes	■ black lacquered		

	Color	Length	Ref
Decorative lighting	yes		
Functional lighting	yes	3010 mm	C1263L9005OD_3
Wire out end cap	yes		
Wire out back of extrusion	yes		









SAMPLE PROJECTS




COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
LIGER		70	<input type="checkbox"/> frosted	17037
		17037OP		
32	 black	17040		
KA-COM		70	<input type="checkbox"/> frosted	17121
		93	<input checked="" type="checkbox"/> clear	17122
HS		73	<input type="checkbox"/> frosted	1369
		94	<input checked="" type="checkbox"/> clear	1370
KA-PRO		67	<input type="checkbox"/> frosted	17064
		94	<input checked="" type="checkbox"/> clear	17065
KA		63	<input type="checkbox"/> frosted	17035
		91	<input checked="" type="checkbox"/> clear	17036

END CAPS

NAME	MATERIAL	COLOR	REF.
PDS-4-ALU		■ gray	1407
		□ white	20002
PDS-4-ALU-OTW		■ silver	24061
		■ black	24066
		■ gray	1057
PDS-4-ALU-MW		■ black	24081
		□ white	21002
PDS-4-ALU-OTW-MW		■ gray	00026
		□ white	22002
PDS-4-ALU-OTW-MW		■ gray	00027
		□ white	23002
PDS-4-PLUS-OTW		■ black	24162
		□ white	24341
PDS-4-PLUS-OTW		■ black	24345
		□ white	24425
PDS-4-PLUS		■ gray	24337
		■ black	24344
		■ silver	24423
		□ white	24424


LED




8K-WP-K-1920-120-RGB-24V
8K-WP-K-1920-120-RGB-24V



8K-WP-K-1210-12V
8K-WP-K-1210-12V



8K-WP-K-1210-24V
8K-WP-K-1210-24V




8K-WP-K-1220-12V
8K-WP-K-1220-12V




8K-WP-K-1220-24V
8K-WP-K-1220-24V



8K-WP-K-1275-12V
8K-WP-K-1275-12V



8K-WP-K-1275-24V
8K-WP-K-1275-24V




K-0530-HD-24V
K-0530-HD-24V

OTHER ACCESSORIES



MOUNTING BRACKET
PDS-STN
24190



SPRING
PDS
00800



MOUNTING BRACKET
REG-PD-UV
24270



MOUNTING BRACKET
PL-PDM
24041



HEAD
ZZ
42218



HEAD
ZO
42217



HEAD
BZP-ZO
42214



HEAD
BZP
42213



HEAD
ST
42216



HEAD
BZP-ZZ
42215

Profile PDS-4-PLUS

Ref. C1263



ARM
K5G-AB
42051



FASTENER
PUSZ-PRET-MR
42252



FASTENER
PUSZ-LIN-MR
42258



FASTENER
FI-8-LIN-MR
42287, 42287L9010,
42287L9005



FASTENER
DP-ZZ
00651



FASTENER
DP-MOC-ZO
00646



FASTENER
DP-ZO
00649



FASTENER
DP-MOC
00645



FASTENER
DP-MOC-ZZ
00647




FASTENER
DP
00644



BASE
MW 11x5
00035



BASE
MW 11x5 LED
00036



CONNECTOR
PD-MICRO
42150



FASTENER SET
RG-1
42647NI, 42647GSS,
42647L9010, 42647L9005



GLAND
6x1,2
00802




MOUNTING BRACKET
PDS-STN-90G
24370



MOUNTING BRACKET
PDS-STN-90D
24367



MOUNTING BRACKET
PDS-STN-ALFA
24426



MOUNTING BRACKET
PDS-STN-45D
24456



MOUNTING BRACKET
PDS-STN-60D
24457