

# Profile PDS-NK

Ref. C1588



- Invisible groove edge
- Small bending radius
- Wide range of accessories


## APPLICATION

- furniture, main and decorative lighting

## MONTAGE

- recessed, with mounting adhesive or double-sided adhesive tape


## TECHNICAL DRAWING








## TECHNICAL SPECIFICATIONS

Material	aluminum	Color	Length	Ref	
With the possibility of sealing up to IP	20, 67		1000 mm	C1588ANODA_1	
LED gluing width A	14 mm	■ silver anodized	2005 mm	C1588ANODA_2	
Possibility of bending	yes		3010 mm	C1588ANODA_3	
Number of LED strips A (8 mm wide)	1		1000 mm	C1588K7_1	
Width	22.2 mm	■ black anodized	2005 mm	C1588K7_2	
The cover is cut to the length of the profile	yes		3010 mm	C1588K7_3	
Furniture lighting	yes			C1588L9010OD_1	
Main lighting	yes	□ white colored	3010 mm	2005 mm	C1588L9010OD_2
Decorative lighting	yes		3010 mm	C1588L9010OD_3	
Wire out end cap	yes				
Wire out back of extrusion	yes				





















## SAMPLE PROJECTS




## COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
KA		63	<input type="checkbox"/> frosted	17035
		91	<input checked="" type="checkbox"/> clear	17036
KA-PRO		67	<input type="checkbox"/> frosted	17064
		94	<input checked="" type="checkbox"/> clear	17065
HS		73	<input type="checkbox"/> frosted	1369
		94	<input checked="" type="checkbox"/> clear	1370
KA-COM		70	<input type="checkbox"/> frosted	17121
		93	<input checked="" type="checkbox"/> clear	17122
LIGER		70	<input type="checkbox"/> frosted	17037
		17037OP		
32	<input checked="" type="checkbox"/> black			17040

## END CAPS

NAME	MATERIAL	COLOR	REF.
PDS-NK		ABS	 gray 24338
			 white 24402
			 black 24342
			 silver 24448
PDS-NK-OTW		ABS	 gray 24339
			 white 24404
			 silver 24449
			 black 24343
PDS-LNK		ABS	 gray 24428
			 white 24438
			 silver 24440
			 black 24432
PDS-LNK-OTW		ABS	 gray 24430
			 white 24439
			 silver 24441
			 black 24434


## LED




**8K-WP-K-1920-120-RGB-24V**  
8K-WP-K-1920-120-RGB-24V




**8K-WP-K-1210-12V**  
8K-WP-K-1210-12V



**8K-WP-K-1210-24V**  
8K-WP-K-1210-24V



**8K-WP-K-1220-12V**  
8K-WP-K-1220-12V



**8K-WP-K-1220-24V**  
8K-WP-K-1220-24V

# Profile PDS-NK

Ref. C1588



**8K-WP-K-1275-12V**  
8K-WP-K-1275-12V



**8K-WP-K-1275-24V**  
8K-WP-K-1275-24V

---

## OTHER ACCESSORIES



GLAND  
**6x1,2**  
00802