

- Up/down lighting
- Glare rating UGR < 19 possible
- Space for power supply and electronic components
- Easy maintenance
- Wide range of accessories

APPLICATION

- main and decorative lighting


MONTAGE

- suspended, using a dedicated mounting track and dedicated accessories
- can be easily connected into runs

ADDITIONAL INFORMATION

- the power supply can be secured inside the profile using dedicated accessories

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum	Color	Length	Ref
With the possibility of sealing up to IP	20		1000 mm	18030ANODA_1
Possible shapes of the luminaire	rectangular	■ silver anodized	2005 mm	18030ANODA_2
LED gluing width A	49.7 mm		3010 mm	18030ANODA_3
LED gluing width B	11.2 mm		1000 mm	18030K7_1
LED gluing width C	11.2 mm	■ black anodized	2005 mm	18030K7_2
Number of LED strips A (8 mm wide)	6		3010 mm	18030K7_3
Number of LED strips B (8 mm wide)	1			
Number of LED strips C (8 mm wide)	1			

Profile DES







Ref. 18030

Width	52.5 mm
The cover is cut to the length of the profile	yes
Can be easily connected into runs	yes
Main lighting	yes
Decorative lighting	yes
Compartment for power supply	yes
Wire out back of extrusion	yes
Two directional lighting for suspended fixtures	yes




SAMPLE PROJECTS




COVERS

NAME		MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
KA		PC	63	<input type="checkbox"/> frosted	17035
			91	<input checked="" type="checkbox"/> clear	17036
KA-PRO		PC	67	<input type="checkbox"/> frosted	17064
			94	<input checked="" type="checkbox"/> clear	17065
DHS		PC	73	<input type="checkbox"/> frosted	17052
			94	<input checked="" type="checkbox"/> clear	17063
HS		PC	73	<input type="checkbox"/> frosted	1369
			94	<input checked="" type="checkbox"/> clear	1370
KA-COM		PVC	70	<input type="checkbox"/> frosted	17121
			93	<input checked="" type="checkbox"/> clear	17122
LIGER		PC	70	<input type="checkbox"/> frosted	17037
			17037OP		
32	<input checked="" type="checkbox"/> black		17040		
JUN-47		PMMA	92	<input checked="" type="checkbox"/> clear	17059


END CAPS

NAME		MATERIAL	COLOR	REF.
DESIN		PP	<input checked="" type="checkbox"/> silver	24151
			<input checked="" type="checkbox"/> black	24348
DES		stainless steel	steel	42616
DES-HQ		aluminum	<input checked="" type="checkbox"/> gray	42626

LED



K-1210-12V
K-1210-12V



K-1210-24V
K-1210-24V



K-1220-12V
K-1220-12V



K-1220-24V
K-1220-24V




K-1275-12V
K-1275-12V



K-1275-24V
K-1275-24V




K-1820-HD-24V
K-1820-HD-24V




K-1910-HD-24V
K-1910-HD-24V



WP-K-1640-HD-IP65-24V
WP-K-1640-HD-IP65-24V



WP-K-1210-12V
WP-K-1210-12V




WP-K-1210-24V
WP-K-1210-24V



WP-K-1220-12V
WP-K-1220-12V



WP-K-1220-24V
WP-K-1220-24V



WP-K-1275-12V
WP-K-1275-12V



WP-K-1275-24V
WP-K-1275-24V



WP-K-1820-HD-24V
WP-K-1820-HD-24V



WP-K-1910-HD-IP65-24V
WP-K-1910-HD-IP65-24V




WP-K-1220-IP65-12V
WP-K-1220-IP65-12V




WP-K-1220-IP65-24V
WP-K-1220-IP65-24V




K-HE-0480-HD-24V
K-HE-0480-HD-24V




K-HE-0960-HD-24V
K-HE-0960-HD-24V




K-HE-1440-HD-24V
K-HE-1440-HD-24V



K-HE-1920-HD-24V
K-HE-1920-HD-24V




K-LR-1000-24V
K-LR-1000-24V




K-1275-RGB-12V
K-1275-RGB-12V




K-1275-RGB-24V
K-1275-RGB-24V



K-1920-RGB+W-24V
K-1920-RGB+W-24V



WP-K-1275-RGB-12V
WP-K-1275-RGB-12V



WP-K-1275-RGB-24V
WP-K-1275-RGB-24V



WP-K-1920-RGB+W-24V
WP-K-1920-RGB+W-24V



K-1530-RGB+W-24V
K-1530-RGB+W-24V



WP-K-1530-RGB+W-24V
WP-K-1530-RGB+W-24V




K-1920-120-RGB-24V
K-1920-120-RGB-24V




WP-K-1920-120-RGB-24V
WP-K-1920-120-RGB-24V




K-22/50-1728-24V
K-22/50-1728-24V



K-30/18-1770-24V
K-30/18-1770-24V



WP-K-22/50-1728-24V
WP-K-22/50-1728-24V



WP-K-30/18-1770-24V
WP-K-30/18-1770-24V

OTHER ACCESSORIES



HEAD
BZP-ZO
42214



HEAD
BZP-ZZ
42215



HEAD
BZP
42213



FASTENER
P-BOX-Z
42554



FASTENER
W-BOX-Z
00643

Profile DES


Ref. 18030



FASTENER
PUSZ-LIN-ZD
42279, 42279L9010,
42279L9005



FASTENER
PUSZ-PRET-ZD
42282, 42282L9010,
42282L9005



FASTENER
UCHO-ZD
42513



BLOCK
ZD
42521



CONNECTOR
ZM-NA-90
42723




CONNECTOR
ZM-NA-120
42729



CONNECTOR
ZM-NA-135
42725




CONNECTOR
ZM-NA-PION-135
42727



CONNECTOR
ZM-NA-PION-90
42726



CONNECTOR
ZM-NA-45
42339



CONNECTOR
ZM-NA-PION-120
42321



CONNECTOR
ZM-NA-PION-60
42317



CONNECTOR
ZM-NA-PION-45
42315



CONNECTOR
ZM-NA-60
42305



CONNECTOR
ZM-NA-180
42724




FASTENER SET
M15
42614



FASTENER SET
M11
42609



FASTENER SET
M12
42610




FASTENER SET
M13
42611




FASTENER SET
RG-1
42647NI, 42647GSS,
42647L9010, 42647L9005



GLAND
6x1,2
00802




GLAND
M8x1
42265



PLASTIC ROD
DES
42222



MOUNTING PAD
45
70457



BLOCK
ZM
42520