

- Designed for IP54 protection rating
- Glare rating UGR < 19 possible
- Space for power supply and electronic components
- Easy maintenance

APPLICATION

- decorative lighting


MONTAGE

- to the surface, using a dedicated mounting track and properly selected screws

ADDITIONAL INFORMATION

- the power supply can be secured inside the profile using dedicated accessories

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS


Material	aluminum	Length		Ref
Color	silver anodized	1000 mm		18031ANODA_1
With the possibility of sealing up to IP	54	2005 mm		18031ANODA_2
Possible shapes of the luminaire	rectangular	3010 mm		18031ANODA_3
LED gluing width A	49 mm			
Number of LED strips A (8 mm wide)	6			
Width	129 mm			
The cover is cut to the length of the profile	yes			
Decorative lighting	yes			
Compartment for power supply	yes			
Wire out back of extrusion	yes			

SAMPLE PROJECTS



Profile KIDES







Ref. 18031




COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
DHS	PC	73	<input type="checkbox"/> frosted	17052
		94	<input checked="" type="checkbox"/> clear	17063
JUN-47	PMMA	92	<input checked="" type="checkbox"/> clear	17059


END CAPS

NAME	MATERIAL	COLOR	REF.
KIDES 	stainless steel, aluminum, TPE	 silver	42617
KIDESIN 	PP	 silver	24152
KIDES-HQ 	aluminum	 gray	42628

LED



K-1210-12V
K-1210-12V



K-1210-24V
K-1210-24V




K-1220-12V
K-1220-12V




K-1220-24V
K-1220-24V



K-1275-12V
K-1275-12V




K-1820-HD-24V
K-1820-HD-24V




K-1910-HD-24V
K-1910-HD-24V




WP-K-1640-HD-IP65-24V
WP-K-1640-HD-IP65-24V



WP-K-1210-12V
WP-K-1210-12V




WP-K-1210-24V
WP-K-1210-24V



WP-K-1220-12V
WP-K-1220-12V




WP-K-1220-24V
WP-K-1220-24V



WP-K-1275-12V
WP-K-1275-12V



WP-K-1275-24V
WP-K-1275-24V




WP-K-1820-HD-24V
WP-K-1820-HD-24V




WP-K-1220-IP65-12V
WP-K-1220-IP65-12V



WP-K-1220-IP65-24V
WP-K-1220-IP65-24V




K-HE-0480-HD-24V
K-HE-0480-HD-24V




K-HE-0960-HD-24V
K-HE-0960-HD-24V




K-HE-1440-HD-24V
K-HE-1440-HD-24V




K-HE-1920-HD-24V
K-HE-1920-HD-24V




K-LR-1000-24V
K-LR-1000-24V




K-1275-RGB-12V
K-1275-RGB-12V




K-1275-RGB-24V
K-1275-RGB-24V




K-1920-RGB+W-24V
K-1920-RGB+W-24V



WP-K-1275-RGB-12V
WP-K-1275-RGB-12V




WP-K-1275-RGB-24V
WP-K-1275-RGB-24V



WP-K-1920-RGB+W-24V
WP-K-1920-RGB+W-24V



WP-K-1530-RGB+W-24V
WP-K-1530-RGB+W-24V




K-1920-120-RGB-24V
K-1920-120-RGB-24V




WP-K-1920-120-RGB-24V
WP-K-1920-120-RGB-24V




K-27/65-1920-24V
K-27/65-1920-24V




WP-K-27/65-1920-24V
WP-K-27/65-1920-24V



K-22/50-1728-24V
K-22/50-1728-24V



WP-K-22/50-1728-24V
WP-K-22/50-1728-24V



WP-K-30/18-1770-24V
WP-K-30/18-1770-24V

OTHER ACCESSORIES



FASTENER
P-BOX-Z
42554



FASTENER
W-BOX-Z
00643



CONNECTOR
ZM-NA-180
42724



GLAND
6x1,2
00802



GLAND
19x1,6
00820