


# Profile OBIT

Ref. W4826



- Hallway lighting
- Three lighting options


## APPLICATION

- decorative and warning lighting

## MONTAGE

- recessed, using dedicated accessories or mounting adhesive
- can be easily connected into runs
- the cover is cut to the length of the profile

## TECHNICAL DRAWING



## TECHNICAL SPECIFICATIONS

Material	aluminum	Length		Ref	
Color	■ silver non anodized	1000 mm			W4826ANODA_1
With the possibility of sealing up to IP	20	2005 mm			W4826ANODA_2
LED gluing width A	11 mm	3010 mm			W4826ANODA_3
Number of LED strips A (8 mm wide)	1				
Width	17 mm				
The cover is cut to the length of the profile	yes				
Can be easily connected into runs	yes				
Decorative lighting	yes				

# Profile OBIT







Ref. W4826

Warning lighting	yes
Mounting to drywall	yes
Possibility of obtaining a line of light	yes
Wire out back of extrusion	yes

## SAMPLE PROJECTS



## COVERS


NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
LIGER		70 %	<input type="checkbox"/> frosted	17037
		17037OP		
32 %	<input checked="" type="checkbox"/> black	17040		
KA		63 %	<input type="checkbox"/> frosted	17035
		91 %	<input checked="" type="checkbox"/> clear	17036
KA-PRO		67 %	<input type="checkbox"/> frosted	17064
		94 %	<input checked="" type="checkbox"/> clear	17065
DHS		73 %	<input type="checkbox"/> frosted	17052
		94 %	<input checked="" type="checkbox"/> clear	17063
HS		73 %	<input type="checkbox"/> frosted	1369
		94 %	<input checked="" type="checkbox"/> clear	1370
KA-COM		70 %	<input type="checkbox"/> frosted	17121
		93 %	<input checked="" type="checkbox"/> clear	17122

## END CAPS


NAME	MATERIAL	COLOR	REF.
OBIT	PP	gray	24127
		silver	24136



## LED



**K-1210-12V**  
K-1210-12V



**K-1210-24V**  
K-1210-24V



**K-1220-12V**  
K-1220-12V



**K-1220-24V**  
K-1220-24V




**K-1275-12V**  
K-1275-12V



**K-1275-24V**  
K-1275-24V




**K-1820-HD-24V**  
K-1820-HD-24V




**K-1910-HD-24V**  
K-1910-HD-24V



**WP-K-1640-HD-IP65-24V**  
WP-K-1640-HD-IP65-24V



**WP-K-1210-12V**  
WP-K-1210-12V




**WP-K-1210-24V**  
WP-K-1210-24V



**WP-K-1220-12V**  
WP-K-1220-12V



**WP-K-1220-24V**  
WP-K-1220-24V



**WP-K-1275-12V**  
WP-K-1275-12V



**WP-K-1275-24V**  
WP-K-1275-24V




**WP-K-1910-HD-IP65-24V**  
WP-K-1910-HD-IP65-24V




**WP-K-1220-IP65-12V**  
WP-K-1220-IP65-12V




**WP-K-1220-IP65-24V**  
WP-K-1220-IP65-24V




**K-LR-1000-24V**  
K-LR-1000-24V



**K-HE-0480-HD-24V**  
K-HE-0480-HD-24V




**K-HE-0960-HD-24V**  
K-HE-0960-HD-24V




**K-HE-1440-HD-24V**  
K-HE-1440-HD-24V



**K-HE-1920-HD-24V**  
K-HE-1920-HD-24V




**K-1275-RGB-12V**  
K-1275-RGB-12V



**K-1275-RGB-24V**  
K-1275-RGB-24V




**K-1530-RGB+W-24V**  
K-1530-RGB+W-24V




**K-1920-120-RGB-24V**  
K-1920-120-RGB-24V



**WP-K-1920-120-RGB-24V**  
WP-K-1920-120-RGB-24V




**K-27/65-1920-24V**  
K-27/65-1920-24V



**WP-K-27/65-1920-24V**  
WP-K-27/65-1920-24V




**K-22/50-1728-24V**  
K-22/50-1728-24V



**K-30/18-1770-24V**  
K-30/18-1770-24V

## OTHER ACCESSORIES



SPRING  
**KMA**  
00838V1



CONNECTOR  
**ZM-PION-45**  
42314



CONNECTOR  
**ZM-PION-120**  
42320



CONNECTOR  
**ZM-NA-180**  
42724



GLAND  
**6x1,2**  
00802